

HISTOLOGICAL STUDY FOLLOWING LEAD EXPOSURE OF SPRAGUE DAWLEY BRAIN

SYASYA AQILAH BINTI MHD NGADISAN

**Final Year Project Report Submitted in
Partial Fulfillment of the Requirements for the
Degree of Bachelor of Science (Hons.) Biology
In the Faculty of Applied Sciences
Universiti Teknologi MARA**

JULY 2015

This Final Year Project entitled “Histological Study Following Lead Exposure of Sprague Dawley Brain” was submitted by Syasya Aqilah binti Mhd Ngadisan, in partial fulfilment of the requirements for the Degree of Bachelor of Science (Hons.) Biolog, in the Faculty of Applied Science, and was approved by

Iwana Izni binti Zainudin
Supervisor
B. Sc. (Hons.) Biology
Faculty of Applied Sciences
University Teknologi MARA
72000 Kuala Pilah
Negeri Sembilan

Nurul Asyikin binti Abd Rahman
Co-supervisor
B. Sc. (Hons.) Biology
Faculty of Applied Sciences
University Teknologi MARA
7200 Kuala Pilah
Negeri Sembilan

Ilyanie binti Hj. Yaacob
Project coordinator
B. Sc. (Hons.) Biology
Faculty o Applied Sciences
University Teknologi MARA
72000 Kuala Pilah
Negeri Sembilan

Dr. Nor ‘Aisyah binti Abu Shah
Head of Programme
B. Sc. (Hons.) Biology
Faculty o Applied Sciences
University Teknologi MARA
72000 Kuala Pilah
Negeri Sembilan

Date: _____

TABLE OF CONTENTS

	PAGE
ACKNOWLEDGEMENTS	iii
TABLE OF CONTENTS	iv
LIST OF FIGURES	vi
LIST OF ABBREVIATIONS	vii
ABSTRACT	viii
ABSTRAK	ix
CHAPTER 1: INTRODUCTION	
1.1 Background of Study	1
1.2 Problem Statement	3
1.3 Significance of the Study	4
1.4 Objectives of the Study	4
CHAPTER 2: LITERATURE REVIEW	
2.1 Lead	5
2.2 Lead-induced Apoptosis	6
2.3 Oxidative Stress	7
2.4 The Mechanism for Lead-induced free radicals	8
2.3.1 Effect of lead on membrane	8
2.3.2 Effect of lead on DNA	9
2.3.3 Effect of lead on antioxidant defence systems	10
2.5 Effect of Lead Toxicity on Nervous System.	11
2.6 Haematoxylin and Eosin Staining	12
CHAPTER 3: METHODOLOGY	
3.1 Materials	14
3.1.1 Raw materials	14
3.1.2 Chemicals	14
3.1.3 Apparatus	14
3.2 Methods	15
3.2.1 Brain Samples Preparation.	15
3.2.2 Tissue processing before sectioning	16
3.2.3 Embedding brain into Paraffin Blocks.	17
3.2.4 Sectioning Brain on microtome	17
3.2.5 Staining brain tissue sections using H&E staining.	18

	PAGE
CHAPTER 4 RESULTS AND DISCUSSION	
4.1 Morphological Study of Brain Tissue from Controlled Group	22
4.2 Morphological Study of Brain Tissues Affected by Lead	25
4.3 Comparison Between Controlled Group and Lead-treated Group	28
 CHAPTER 5 CONCLUSIONS AND RECOMMENDATION	 31
 CITED REFERENCES	 32
APPENDICES	37
CURRICULUM VITAE	42

ABSTRACT

HISTOLOGICAL STUDY FOLLOWING LEAD EXPOSURE OF SPRAGUE DAWLEY BRAIN

Lead is metal that has very high toxicity and dangerous to human body. Once it had been absorbed in the body, it would deposit on vital organ such as brain and induce apoptosis, a process of cell death. This study aimed to examine the effect of lead toxicity on apoptosis of brain cells through light microscopic examinations and at the same time, this study aimed to determine the morphological differences between normal cells and death cells. The brains were harvested from two rat groups, controlled group and lead-treated group. The rats in control group were fed with distilled water while rats of treated group were fed with distilled water and 0.2% lead acetate. 0.2% lead acetate was used in this study because previous research recorded that low level of lead exposure could induce cell apoptosis and may cause impairments in learning, memory and neurologic development especially in rats. All these brain samples were obtained from Dentistry Department, Uitm Shah Alam. The brains were sliced into extremely thin sections using microtome and stained using haematoxylin and eosin (H&E). The H&E staining is a staining method that had been widely used in histology to determine the structure of the cells. The haematoxylin stained the nucleus blue while eosin stained the cytoplasm with red colour. The result of this study demonstrated that low level of lead exposure could induce apoptosis in brain cells and it proved that H&E staining method is successful and reliable to observe and differentiate between normal and death cells. For future research, it is recommended to study the expression of genes that control the cell apoptosis for more precise and accurate assessment. The addition of more parameters helps to justify the validity of the results.